

综合垃圾处理器 Restaurant waste food disposal B26L

产品特点 Product Features

适用范围:适用于家庭厨房或咖啡厅、茶座、KTV等娱乐场所;

产品优势:

- 1. 主体采用304不锈钢材质, 耐腐蚀防生锈, 健康环保.
- 2. 超大投料口搭配自动冲洗设计,垃圾投放更高效更卫生.
- 3. 使用节能高转速交流电机, 低能耗、高功效、低噪音、使用寿命长.
- 4. 核心研磨装置采用特殊合金一体成型工艺,具备高强度,耐腐蚀的特点, 轻松应对各种食物垃圾。
- 专利研磨系统, 六级齿环和三级刀盘完美适配, 轻松撕裂各种食物垃圾, 粉碎精度达2mm.
- 6. 专利涡轮增压排污设计,不仅解决了传统垃圾处理器容易堵塞下水道的弊端,还起到疏通下水道的作用。

产品功能:

- · 无刀片研磨系统 · 反转功能 · 自动冲水功能
- · 短路保护功能 · 漏电保护功能 · 过载保护功能

Application:

Applicable to catering industry, such as coffee shop , tea house ,KTV,Hotel, restaurant, school cafeteria and so on . Can dispose various kinds of food waste such as fruit peel, vegetable stems, bones, shells ,etc.

Advantages:

- 1. Constucted with stainless steel 304, Corrosion and rust resistance, health.
- 2. Extra-large feeding port design, ensures consistent efficiency and enhanced hygienne during waste disposal.
- 3.Motor:Unique AC motor with energy-saving and high rotational speed, can be in continuous operation, with long service life .
- 4.Core Grinding device forgrd from special alloy via integrated molding technology, offering high strength and corrosion resistance to effortlessly handle diverse food waste.
- 5.Patended Grinding system, features a sis-stage cutting ring and thre-stage cutting disc for optmal synergy , finely shredding waste with a precision of ≤2mm.
- 6.Patented Turbocharged Drainage System ,Eliminates pipe blockages common in conventional disposers while actively clearing drain pipelines.

Product Features

产品参数Product parameters

产品型号Product number B26L 重量Weight 12KG 功率Power 600W 电压Volage 220V 转速Rotaning speed 2800/min 产品尺寸ProductSize 28*28*43cm 作业方式Operating mode 批量型Batch feed

处理能力Capacity: 2.6L





综合垃圾处理器 Restaurant waste food disposal C400

产品特点 Product Features

适用范围:适用于家庭厨房或咖啡厅、茶座、KTV等娱乐场所;

产品优势:

- 1. 主体采用304不锈钢材质, 耐腐蚀防生锈, 健康环保.
- 2. 超大投料口搭配自动冲洗设计,垃圾投放更高效更卫生.
- 3. 使用节能高转速交流电机, 低能耗、高功效、低噪音、使用寿命长.
- 4. 核心研磨装置采用特殊合金一体成型工艺,具备高强度,耐腐蚀的特点, 轻松应对各种食物垃圾.
- 5. 专利研磨系统, 六级齿环和三级刀盘完美适配, 轻松撕裂各种食物垃圾,

粉碎精度达2mm.

6. 专利涡轮增压排污设计,不仅解决了传统垃圾处理器容易堵塞下水道的弊端, 还起到疏通下水道的作用.

产品功能:

- 无刀片研磨系统 · 反转功能
 - 自动冲水功能
- · 短路保护功能 · 漏电保护功能 · 过载保护功能

Applicable to catering industry, such as coffee shop , tea house ,KTV, Hotel, restaurant, school cafeteria and so on . Can dispose various kinds of food waste such as fruit peel, vegetable stems, bones, shells ,etc.

- 1. Constucted with stainless steel 304, Corrosion and rust resistance, health.
- 2. Extra-large feeding port design, ensures consistent efficiency and enhanced hygienne during waste disposal.
- 3.Motor:Unique AC motor with energy-saving and high rotational speed, can be in continuous operation, with
- 4.Core Grinding device forgrd from special alloy via integrated molding technology, offering high strength and corrosion resistance to effortlessly handle diverse food waste.
- S.Patended Grinding system, features a sis-stage cutting ring and thre-stage cutting disc for optmal synergy, finely shredding waste with a precision of ≤2mm.
- 6.Patented Turbocharged Drainage System ,Eliminates pipe blockages common in conventional disposers while actively clearing drain pipelines.

Product Features

- · Blade-free grinding system · Reverse protection · Auto water intake
- Short-circuit protection

处理能力Capacity:

* Leakage protection * Overload protection

400KG/H

产品参数Product parameters

产品型号Product number C400 重量Weight 功率Power 2200W 220V 电压Volage 转速Rotaning speed 2800/min 产品尺寸ProductSize 54*35*72cm 作业方式Operating mode 连续性Continulty





综合垃圾处理器

Restaurant waste food disposal C600

产品特点 Product Features

适用范围:适用于家庭厨房或咖啡厅、茶座、KTV等娱乐场所;

产品优势:

- 1. 主体采用304不锈钢材质, 耐腐蚀防生锈, 健康环保.
- 2. 超大投料口搭配自动冲洗设计,垃圾投放更高效更卫生.
- 3. 使用节能高转速交流电机,低能耗、高功效、低噪音、使用寿命长.
- 4. 核心研磨装置采用特殊合金一体成型工艺,具备高强度,耐腐蚀的特点, 轻松应对各种食物垃圾.
- 5. 专利研磨系统, 六级齿环和三级刀盘完美适配, 轻松撕裂各种食物垃圾,

粉碎精度达2mm.

6. 专利涡轮增压排污设计,不仅解决了传统垃圾处理器容易堵塞下水道的弊端, 还起到疏通下水道的作用.

产品功能:

- 无刀片研磨系统 反转功能
- 自动冲水功能
- · 短路保护功能 · 漏电保护功能 · 过载保护功能

Applicable to catering industry, such as coffee shop , tea house ,KTV, Hotel, restaurant, school cafeteria and so on . Can dispose various kinds of food waste such as fruit peel, vegetable stems, bones, shells ,etc.

Advantages:

- 1. Constucted with stainless steel 304, Corrosion and rust resistance, health.
- 2. Extra-large feeding port design, ensures consistent efficiency and enhanced hygienne during waste disposal.
- 3.Motor:Unique AC motor with energy-saving and high rotational speed, can be in continuous operation, with
- 4.Core Grinding device forgrd from special alloy via integrated molding technology, offering high strength and corrosion resistance to effortlessly handle diverse food waste.
- 5.Patended Grinding system, features a sis-stage cutting ring and thre-stage cutting disc for optmal synergy, finely shredding waste with a precision of ≤2mm.
- 6.Patented Turbocharged Drainage System ,Eliminates pipe blockages common in conventional disposers while actively clearing drain pipelines.

Product Features

- * Blade-free grinding system * Reverse protection * Auto water intake
- · Short-circuit protection

产品参数Product parameters

产品型号Product number C600 重量Weight 68KG 功率Power 2200W 电压Volage 380V 转速Rotaning speed 2800/min 产品尺寸ProductSize 60*42*95cm 作业方式Operating mode 连续性Continulty

处理能力Capacity: 600KG/H





综合垃圾处理器 Restaurant waste food disposal C800

产品特点 Product Features

适用范围:适用于家庭厨房或咖啡厅、茶座、KTV等娱乐场所;

产品优势:

- 1. 主体采用304不锈钢材质, 耐腐蚀防生锈, 健康环保.
- 2. 超大投料口搭配自动冲洗设计,垃圾投放更高效更卫生.
- 3. 使用节能高转速交流电机,低能耗、高功效、低噪音、使用寿命长.
- 核心研磨装置采用特殊合金一体成型工艺,具备高强度,耐腐蚀的特点, 轻松应对各种食物垃圾。
- 5. 专利研磨系统, 六级齿环和三级刀盘完美适配, 轻松撕裂各种食物垃圾,
- 粉碎精度达2mm.
- 6. 专利涡轮增压排污设计,不仅解决了传统垃圾处理器容易堵塞下水道的弊端, 还起到疏通下水道的作用.

产品功能:

- 无刀片研磨系统 反转功能 自动冲水功能
- · 短路保护功能 · 漏电保护功能 · 过载保护功能

Application

Applicable to catering industry, such as coffee shop ,tea house ,KTV,Hotel, restaurant, school cafeteria and so on . Can dispose various kinds of food waste such as fruit peel, vegetable stems, bones, shells ,etc.

Advantages:

- 1.Constucted with stainless steel 304, Corrosion and rust resistance, health.
- 2. Extra-large feeding port design, ensures consistent efficiency and enhanced hygienne during waste disposal.
- 3. Motor: Unique AC motor with energy-saving and high rotational speed, can be in continuous operation, with long service life.
- 4.Core Grinding device forgrd from special alloy via integrated molding technology, offering high strength and corrosion resistance to effortlessly handle diverse food waste.
- 5.Patended Grinding system, features a sis-stage cutting ring and thre-stage cutting disc for optmal synergy, finely shredding waste with a precision of ≤2mm.
- 6.Patented Turbocharged Drainage System , Eliminates pipe blockages common in conventional disposers while actively clearing drain pipelines.

Product Features

- * Blade-free grinding system * Reverse protection * Auto water intake

产品参数Product parameters

产品型号Product number C800 重量Weight 85KG 功率Power 3000W 电压Volage 380V 转速Rotaning speed 2800/min 产品尺寸ProductSize 78*52*93cm 作业方式Operating mode 连续性Continulty

处理能力Capacity: 800KG/H





综合垃圾处理器 Restaurant waste food disposal B50L

产品特点 Product Features

适用范围:适用于家庭厨房或咖啡厅、茶座、KTV等娱乐场所;

产品优势:

- 1. 主体采用304不锈钢材质, 耐腐蚀防生锈, 健康环保.
- 2. 超大投料口搭配自动冲洗设计,垃圾投放更高效更卫生.
- 3. 使用节能高转速交流电机, 低能耗、高功效、低噪音、使用寿命长.
- 4. 核心研磨装置采用特殊合金一体成型工艺,具备高强度,耐腐蚀的特点, 轻松应对各种食物垃圾.
- 5. 专利研磨系统, 六级齿环和三级刀盘完美适配, 轻松撕裂各种食物垃圾,

粉碎精度达2mm.

6. 专利涡轮增压排污设计,不仅解决了传统垃圾处理器容易堵塞下水道的弊端, 还起到疏通下水道的作用.

产品功能:

- 无刀片研磨系统 反转功能
- 自动冲水功能
- · 短路保护功能 · 漏电保护功能 · 过载保护功能

Applicable to catering industry, such as coffee shop , tea house ,KTV, Hotel, restaurant, school cafeteria and so on . Can dispose various kinds of food waste such as fruit peel, vegetable stems, bones, shells ,etc.

- 1. Constucted with stainless steel 304, Corrosion and rust resistance, health.
- 2. Extra-large feeding port design, ensures consistent efficiency and enhanced hygienne during waste disposal.
- 3.Motor:Unique AC motor with energy-saving and high rotational speed, can be in continuous operation, with
- 4.Core Grinding device forgrd from special alloy via integrated molding technology, offering high strength and corrosion resistance to effortlessly handle diverse food waste.
- S.Patended Grinding system, features a sis-stage cutting ring and thre-stage cutting disc for optmal synergy, finely shredding waste with a precision of ≤2mm.
- 6.Patented Turbocharged Drainage System ,Eliminates pipe blockages common in conventional disposers while actively clearing drain pipelines.

Product Features

- · Blade-free grinding system · Reverse protection · Auto water intake
- Short-circuit protection
- Leakage protection
 Overload protection

产品参数Product parameters

产品型号Product number B50L 重量Weight 功率Power 2200W 380V 电压Volage 2800/min 转速Rotaning speed 78*52*98cm 产品尺寸ProductSize 作业方式Operating mode 批量型Batch feed

处理能力Capacity: 50L





整体式农村垃圾资源化处理设备

waste garbage biochemical treatment integral equipment IGD SERIES

产品特点Product Features

适用场所:适用于村庄、农场、小区、旅游景点、宾馆饭店、学校、养殖厂等。 处理范围:食品垃圾、屠宰垃圾、生活垃圾、农场垃圾、生物垃圾、各种厨卫垃圾。 特色功能;垃圾提升机、粉碎机、螺旋提升机、发酵仓、烘干机、废气净化装置、 污水净化池、PCL电脑控制系统。

产品优势:

- 1. 处理速度快,分解效率高,异味小,4-8小时内减量率达到75%以上;
- 2. 处理物广泛,实用性强,只需达到分类标注即可;
- 3. 适应地域广泛,室内外均可正常适用;
- 4. 规格齐全,单台处理量从100KG-3000KG不等,也可根据需求量身定制;
- 5. 使用安全、成熟可靠、美观耐用;
- 6. 全自动、智能化, 无需专人看管;
- 7. 舱内温度、进风温度、进风量、搅拌速度均可调节。

Feature


Application: village farms, residential areas, tourist attractions, hotels, schools, and livestock farms.

Processing: waste food, slaughterhouse waste, household waste, farm waste, biological waste, and kitchen waste.

Advanteges:

- 1. Efficiency:Commully fast grinding speed and strong disposal ability, high decomposition efficiency.reduction rata over 75%, in 4-8 houn
- 2. Processing range :wide processing range, just meet a criterion of garbage classification, high practicability
- 3.Adaptability: No special requirement for application places or area
- 4.Diversity: Unit machine processing capacity 100K-3000KG available. Also custom-built accept
- 5.Intelligent: Crinding rate...fermentation room temperature,input air temperature & capacity can be adjustable
- 6.Convenience: full-autormatic, don't need pay special attention during operation process

MODEDADY	PROCESS CAPACITY (KG)	POWER (KW)	DAILY POWER CONSUMPTION (KW. h)	APPLICABLE POPULATION
MODEDAKI	LUCCOS CALACITI (NG)	FUMER (VA)	DAILI FOMER CONSUMPTION (RW. II)	ALLETCADES LOLOTATION
IGD-500	500	≤16	40-60	500-800
IGD-1000	1000	≤17	60-80	800-1500
IGD-2000	2000	≤26	80-100	1500-2500
IGD-3000	3000	≤27	160-180	2500-3500
IGD-5000	5000	≤50	200-250	3500-6000



分体式农村垃圾资源化处理设备 waste garbage biochemical treatment Split equipment SGD SERIES

产品特点Product Features

适用场所:适用于村庄、农场、小区、旅游景点、宾馆饭店、学校、养殖厂等。 处理范围:食品垃圾、屠宰垃圾、生活垃圾、农场垃圾、生物垃圾、各种厨卫垃圾。 特色功能;垃圾提升机、粉碎机、螺旋提升机、发酵仓、烘干机、废气净化装置、 污水净化池、PCL电脑控制系统。

产品优势:

- 1. 处理速度快,分解效率高,异味小,4-8小时内减量率达到75%以上;
- 2. 处理物广泛,实用性强,只需达到分类标注即可;
- 3. 适应地域广泛,室内外均可正常适用;
- 4. 规格齐全,单台处理量从100KG-3000KG不等,也可根据需求量身定制;
- 5. 使用安全、成熟可靠、美观耐用:
- 6. 全自动、智能化, 无需专人看管;
- 7. 舱内温度、进风温度、进风量、搅拌速度均可调节。

Feature

Application: village farms, residential areas, tourist attractions, hotels, schools, and livestock farms.

Processing: waste food, slaughterhouse waste, household waste, farm waste, biological waste, and kitchen waste.

Advanteges:

- 1. Efficiency: Comtnully fast grinding speed and strong disposal ability, high decomposition efficiency reduction rata over 75%, in 4-8 houn
- 2. Processing range :wide processing range, just meet a criterion of garbage classification, high practicability
- 3.Adaptability :No special requirement for application places or area
- 4.Diversity: Unit machine processing capacity 100K-3000KG available. Also custom-built accept
- 5.Intelligent: Crinding rate...fermentation room temperature,input air temperature & capacity can be adjustable
- 6.Convenience: full-autormatic, don't need pay special attention during operation process

MODEDARY	PROCESS CAPACITY (KG)	POWER (KW)	DAILY POWER CONSUMPTION(KW.h)	APPLICABLE POPULATION
SGD-500	500	≤16	40-60	500-800
SGD-1000	1000	≤17	60-80	800-1500
SGD-2000	2000	≤26	80-100	1500-2500
SGD-3000	3000	≤27	160-180	2500-3500
SGD-5000	5000	≤50	200-250	3500-6000



滚筒式农村垃圾资源化处理设备 waste garbage biochemical treatment Drum equipment DGD SERIES

产品特点Product Features

适用场所:适用于村庄、农场、小区、旅游景点、宾馆饭店、学校、养殖厂等。

处理范围:食品垃圾、屠宰垃圾、生活垃圾、农场垃圾、生物垃圾、各种厨卫垃圾。

特色功能;垃圾提升机、粉碎机、螺旋提升机、发酵仓、烘干机、废气净化装置、

污水净化池、PCL电脑控制系统。

产品优势:

- 1. 处理速度快,分解效率高,异味小,4-8小时内减量率达到75%以上;
- 2. 处理物广泛,实用性强,只需达到分类标注即可;
- 3. 适应地域广泛,室内外均可正常适用;
- 4. 规格齐全,单台处理量从100KG-3000KG不等,也可根据需求量身定制;
- 5. 使用安全、成熟可靠、美观耐用;
- 6. 全自动、智能化, 无需专人看管;
- 7. 舱内温度、进风温度、进风量、搅拌速度均可调节。

Feature

Application: village farms, residential areas, tourist attractions, hotels, schools, and livestock farms.

Processing: waste food, slaughterhouse waste, household waste, farm waste, biological waste, and kitchen waste.

Advanteges:

- 1. Efficiency: Comtnully fast grinding speed and strong disposal abiliy, high decomposition efficiency reduction rata over 75%, in 4-8 houn
- 2. Processing range :wide processing range, just meet a criterion of garbage classification, high practicability
- 3.Adaptability: No special requirement for application places or area
- 4.Diversity: Unit machine processing capacity 100K-3000KG available. Also custom-built accept
- 5.Intelligent: Crinding rate...fermentation room temperature,input air temperature & capacity can be adjustable
- 6. Convenience: full-autormatic, don't need pay special attention during operation process

MODEDARY P	PROCESS CAPACITY (KG)	POWER (KW)	DAILY POWER CONSUMPTION(KW.h)	APPLICABLE POPULATION
DGD-500	500	≤16	40-60	500-800
DGD-1000	1000	≤17	60-80	800-1500
DGD-2000	2000	≤26	80-100	1500-2500
DGD-3000	3000	≤27	160-180	2500-3500
DGD-5000	5000	≤50	200-250	3500-6000